



### Ultra HD Digital Microscope U30/U30s



Configurable, Ergonomic Optical Inspection System

# 4K Digital Microscope powered by INSPECTIS®


- Premium imaging quality available in two industrial grade form factors, U30 and U30s
- Ultra HD 8.3 megapixel 30fps camera for careful inspection of fine detail
- Superior 30:1 zoom lens with fast auto-focus and iris control
- Pre-calibrated optics with zoom tracking and direct camera control in INSPECTIS© software
- Designed for outstanding optical performance at entire field of view
- Options include 500mm, and 1000mm extended working distance, 3000mm extended cable, ESD-protected housing, hermetic sealed housing, and a built-in laser pointer options





### Designed for ergonomic use

Inspectis Ultra HD digital microscopes provide relief to eyes, neck and shoulders through the unique ergonomic design and 228 mm free working distance. By allowing operators to sit comfortably in a good working position, their inspection tasks can be carried out more efficiently.



U30, All-in-alone 4K system with advanced remote control


Thanks to its sensitive image sensor and superior optics, U30/U30s provide astonishing sharp images of the objects with minimum glare and colour fringes at entire field of view.



The system's standard optics produces  $\sim 2$  - 60x magnification (28" monitor). If further magnification is needed, a wide range of diopter Macro Lenses can be added to magnify up to 178x.

Inspectis digital microscopes offer true ease of use with minimal interaction needed with controls and settings. All basic parameters such as zoom, brightness and colour levels can be controlled by the user through on-board buttons on top of the device.


An optional built-in laser pointer aims at the area of interest and assists in locating it on the screen.



Electronics IC, x5 Zoom, 10x Mag.



Micro mechanics, x7.6 Zoom, 12x Mag.



Medtech, x20 Zoom with +5 Macro, 64x Mag.



Forensic, x20 Zoom, 31x Mag.

## Making optical inspection enjoyable

Connect a U30 digital microscope to a 4K UHD display or your PC via Inspectis ´ plug-&-play USB3.0 or PCle converter and take advantage of the astonishing image resolution, high contrast, true colours at 1:30x zoom range in your optical inspection work.

The Inspectis U30 and U30s digital microscopes can significantly reduce the time you spend on inspecting parts compared with other optical visual systems.



The Inspectis 4K Digital Microscopes are available in two basic models:

U30, an all-in-one, plug-and-play system with integrated aluminium stand and built-in adjustable white LED illumination.

U30s, a stand-alone, totally configurable system with a variety of mounting solutions. Select between any of Inspectis' Boom type, XY-type or Articulated arm stands.





U30 with Antistatic body

U30s with Single-arm Boom Stand

### **System Specifications**

#### System:

Video Output	Ultra HD 2160p/30, switchable to Full HD 1080p/60
Imager	8.5 Mpixels. 3840(H) x 2160(V) 16:9 format. Progressive scan CMOS image sensor
Pixel Size (resolution)	1.62 μm x 1.62 μm
I/O Ports	HDMI video output, 5P MiniDin Power input, 8P MiniDin External Remote Control
On-board Control	Zoom, Iris, Auto Focus on/off, White Balance, 4K to Full HD format swap.
External Remote Control	Zoom, Iris, Manual/Auto Brightness, Manual/Auto Focus, White Balance, Picture Quality
	Mode, Display Text, Haircross overlay, Image Rotate, Image Freeze, Memory Save/Recall
	(2 pcs), Foot-switch, Video Output Format and Frame Rate.
Illumination	Integrated Long-life 18x ultra bright pure white LEDs with direction adjustment (U30
	model). Optional Ringlight (U30s model)
Storage Environment	-20° - +60°C, 20 - 95% RH, non-condensing
Operating Environment	-5 ° - +40 °C, 20 - 95% RH, non-condensing
Size, Weight U30	395 x 240 x 360 mm including metal base, 4.5 kg. including metal base
Size, Weight U30s	φ 86.5 x 137mm exclusive cable. 0.78 kg. excluding cable and stand

#### Optics:

Optical system	30x Zoom with Auto Focus and Iris Control
Working distance	228 mm (from lens to object at maximum zoom factor)
Magnification x1-x30 zoom factor	~ 2.0x ~ 60x on 28" monitor (~ 192x with +10 macro lens)
Field of View at x1-x30 zoom factor	~ 297 x 167 mm to ~ 9.9 x 5.6 mm (~ 3.2 x 1.8mm with +10 lens)
Laser pointer	Red LED with automatic through-optics alignment







### Ordering numbers Inspection Systems:

Item name	Order No.
Inspectis U30, 4K 2160p Digital Macroscope, Integrated Stand, LED, HDMI	HD-015
Inspectis U30s, 4K 2160p Digital Microscope, Modular, HDMI	HD-016
With Antistatic housing	* -E
With Laser Pointer	* -L

#### Ordering numbers optional Accessories:

Remote Camera Control, Advanced Adjustments	HD-020
Foot switch for Remote Camera Control	HD-027
Macro lens +3 diopter, 67mm (Achromatic)	HD-038
Macro lens +5 diopter, 67mm (Achromatic)	HD-039
Macro lens +10 diopter, 67mm (Achromatic)	HD-123
Inspectis High Magnification lens +28 diopter	HD-142
Inspectis High Magnification lens +56 diopter	HD-143
Lens protection filter, 67mm	HD-098

Ring Light White LED with detachable diffuser	HD-024-B
Polarization filter set for Ring Light, 67mm	HD-024-P-U
Ring Light UV 365-375nm wavelength LED	HD-025
4K HD USB3.0 Capture with software Basics	HD-043
4K HD USB3.0 Capture with software Pro	HD-044
4K HD USB3.0 Capture with software ProX	HD-044-PX
4K HD PCIe Capture	HD-035
XY Floating Board, Antistatic	HD-028
XY Floating Board with position lock, Antistatic	HD-028-L
Tilt Board, Antistatic	HD-029
Single-arm Boom stand	HD-060
Double-arm Boom Stand	HD-070
Articulated-arm Boom Stand	HD-080
Rack-&-Pinion Fine Focusing module	HD-090
Track stand, Large Base with focusing WD 35-410mm	HD-210-LB-E
XY-travel Stand, In-line / Table-top	HD-170/180
Aluminium carrying case	HD-040

